

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Junckers Rustic Oil coloured - All versions

**Product no.**

551-572

**REACH registration number**

Not applicable

**Other means of identification**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Oil treatment of wood, indoors

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Junckers Industrier A/S

Vaerftsvej 4

DK-4600 Koege

Tel.: +45 7080 3000

**Contact person**

A. Gottlieb

**E-mail**

productsafety@junckers.dk

**SDS date**

02-08-2013

**SDS Version**

2.0

### 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H/R-phrases in section 2.2.

**DPD/DSD Classification**

-

-

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Signal word**

-

**Hazard statement(s)**

-

**Identity of the substances primarily responsible for the major health hazards**

-

According to EC-Regulation 1907/2006 (REACH)

<b>Safety statement(s)</b>	General	-
	Prevention	-
	Response	-
	Storage	-
	Disposal	-

### 2.3. Other hazards

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

#### Additional labelling

Safety data sheet available on request.

#### Additional warnings

-

#### VOC

VOC-MAX: 500 g/l, MAXIMUM VOC CONTENT (A (SB)): 500 g/l.

## SECTION 3: Composition/information on ingredients

### 3.1/3.2. Substances

NAME: Alkanes, C10-13-iso-  
 IDENTIFICATION NOS.: CAS-no: 68551-17-7 EC-no: 271-366-9  
 CONTENT: 25-40%  
 DSD CLASSIFICATION: Xn;R65 R66  
 CLP CLASSIFICATION: Asp. Tox. 1  
 H304, EUH066  
 NOTE: S

NAME: Alkanes, C10-13-iso-  
 IDENTIFICATION NOS.: CAS-no: 68551-17-7 EC-no: 271-366-9  
 CONTENT: 25-40%  
 DSD CLASSIFICATION: Xn;R65 R66  
 CLP CLASSIFICATION: Asp. Tox. 1  
 H304, EUH066  
 NOTE: S

NAME: Alkanes, C11-15-iso-  
 IDENTIFICATION NOS.: CAS-no: 90622-58-5 EC-no: 292-460-6 REACH-no: 01-2119472146-39-xxxx  
 CONTENT: 15-25%  
 DSD CLASSIFICATION: Xn;R65;R66  
 CLP CLASSIFICATION: Asp. Tox. 1  
 H304, EUH066

(\*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

S = Organic solvent

#### Other informations

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

#### Inhalation

Get the person into fresh air and stay with them.

#### Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation

According to EC-Regulation 1907/2006 (REACH)

continues, contact a doctor.

#### **Ingestion**

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

#### **Burns**

Rinse with water until the pain stops and continue for 30 minutes.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No special

#### **Information to medics**

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Halogenated compounds Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

#### **6.2. Environmental precautions**

No specific requirements.

#### **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

#### **6.4. Reference to other sections**

See section on "Disposal" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

See section on 'Exposure controls/personal protection' for information on personal protection.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original.

#### **Storage temperature**

Room temperature 18 to 23°C

#### **7.3. Specific end use(s)**

According to EC-Regulation 1907/2006 (REACH)

This product should only be used for applications described in Section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

No data available

#### DNEL / PNEC

No data available.

### 8.2. Exposure controls

No control is necessary if the product is used in a normal way.

#### General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

#### Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

#### Exposure limits

There are no maximum exposure limits for the substances contained in this product.

#### Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

#### Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



#### Generally

Only CE-marked personal protection equipment should be used.

#### Respiratory Equipment

If the ventilation at the work place is not sufficient, use a half or whole mask with an appropriate filter or an air-supplied respiratory protector. The choice depends on the concrete work situation and how long you will be using the product.

#### Skin protection

No specific requirements.

#### Hand protection

Recommended: butyl rubber. . Breakthrough time: > 60 minutes (Class 3)

#### Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Colour	Odour	pH	Viscosity	Density (g/cm <sup>3</sup> )
Liquid	NA	NA	-	-	0,9
<b>Phase changes</b>					
Melting point (°C)		Boiling point (°C)		Vapour pressure (mm Hg)	
-		175		-	
<b>Data on fire and explosion hazards</b>					
Flashpoint (°C)		Ignition (°C)		Self ignition (°C)	
62		-		-	
Explosion limits (Vol %)		Oxidizing properties			
-		-			

According to EC-Regulation 1907/2006 (REACH)

**Solubility**

Solubility in water n-octanol/water coefficient  
 Insoluble -

**9.2. Other information**

Solubility in fat Additional information  
 - N/A

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under the conditions, noted in the section on "Handling and storage".

**10.3. Possibility of hazardous reactions**

No special

**10.4. Conditions to avoid**

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

**10.5. Incompatible materials**

Strong acids, strong bases, strong oxidising agents, and strong catabolic agents.

**10.6. Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

Substance	Species	Test	Route of exposure	Result
Alkanes, C11-15-iso-	Rat	LD50	Oral	10.000 mg/l

**Skin corrosion/irritation**

No data available.

**Serious eye damage/irritation**

No data available.

**Respiratory or skin sensitisation**

No data available.

**Germ cell mutagenicity**

No data available.

**Carcinogenicity**

No data available.

**Reproductive toxicity**

No data available.

**STOT-single exposure**

No data available.

**STOT-repeated exposure**

No data available.

**Aspiration hazard**

No data available.

**Long term effects**

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Substance	Species	Test	Test duration	Result
-----------	---------	------	---------------	--------

According to EC-Regulation 1907/2006 (REACH)

No data available.

#### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data available.			

#### 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BFC
No data available.			

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No special

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

##### Waste

EWC code

08 01 11

##### Specific labelling

-

##### Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

### SECTION 14: Transport information

Not listed as dangerous goods under ADR and IMDG regulations.

#### 14.1 – 14.4

ADR/RID	14.1. UN number	14.2. UN proper shipping name	14.3. Transport hazard class(es)	14.4. Packing group		Notes	
IMDG	UN-no.	Proper Shipping Name	Class	PG*	EmS	MP**	Hazardous constituent

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

##### Demands for specific education

-

##### Additional information

-

#### 15.2. Chemical safety assessment

No

## SECTION 16: Other information'

### Sources

EC regulation 1907/2006 (REACH)  
Directive 2000/532/EC  
EC Regulation 1272/2008 (CLP)

### Full text of H/R-phrases as mentioned in section 3

R65 - Harmful: may cause lung damage if swallowed.  
R66 - Repeated exposure may cause skin dryness or cracking.  
H304 - May be fatal if swallowed and enters airways.  
EUH066 - Repeated exposure may cause skin dryness or cracking.

### The full text of identified uses as mentioned in section 1

### Other symbols mentioned in section 2

-

### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.  
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.  
A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

### The safety data sheet is validated by

Admin

### Date of last essential change (First cipher in SDS version)

27-06-2013

### Date of last minor change (Last cipher in SDS version)

02-08-2013